



75 Onderdonk Street, Ridgewood, NY 11385 - P: 718-417-9100

# Material Safety Data Sheet

According to 1907/2006 EC, Article 31

## NCE-AB Alkyl Benzene Replacement Fluid

### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Trade Name	NCE-AB - Alkyl Benzene Replacement Fluid
Chemical Name / Family	ABR Blend
Company Name	National Compressor Exchange 75 Onderdonk Street, Ridgewood, NY 11385
Telephone	718-417-9100
Fax	
Emergency Telephone Number	718-417-9100

### 2. HAZARDS IDENTIFICATION

Main Hazards	No Significant Hazard
--------------	-----------------------

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Description	This product does not contain any substances classified as hazardous to health.
-------------	---

### 4. CONTACT PROCEDURES

Skin Contact	Wash affected areas thoroughly with soap and water. Wash contaminated clothing before reuse. Seek medical attention if irritation or symptoms persist.
Eye Contact	Flush with clean, lukewarm water (low pressure) occasionally lifting eyelids. Seek physician assessment if eyes are inflamed.
Inhalation	Avoid breathing oil mists. Remove to fresh air. Give artificial respiration if not breathing. Oxygen may be given by qualified personnel if breathing is difficult. Get medical attention.
Ingestion	Do not induce vomiting. Fluid has laxative effect.

# NCE-AB

## Alkyl Benzene Replacement Fluid

---

### 5. FIRE FIGHTING MEASURES

---

Extinguishing Media	For small fires: Carbon dioxide. Dry chemical. Foam. Water spray.
Fire Hazards	LOW FIRE HAZARD - Do not cut, drill, or weld empty containers.
Protective Equipment	Wear suitable respiratory equipment when necessary.

### 6. ACCIDENTAL RELEASE MEASURES

---

Personal Precautions	Ensure adequate ventilation of the working area.
Environmental Precautions	Do not allow product to enter drains. Prevent further spillage if safe.
Cleanup Method	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

### 7. HANDLING AND STORAGE

---

Handling	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
Storage	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

### 8. EXPOSURE CONTROL / PERSONAL PROTECTION

---

Engineering Measures	Ensure adequate ventilation of the working area.
Occupational Exposure Controls	Keep away from food, drink and animal feed.
Respiratory Protection	Normally not necessary. If mist is generated, wear approved organic vapor respirator suitable for oil mist areas with sufficient oxygen.
Skin/Hand Protection	Normally none required, for direct contact of more than 2 hours, PVC, Viton, or Nitrile gloves are recommended.
Eye Protection	Normally none required, chemical goggles if splashing is likely or high pressure systems are used.
Ventilation	General ventilation
Exposure Limits	Acute LD50 > 5000 mg/Kg (rat, oral) Practically non-toxic
Protective Equipment	Protect clothing from contact with the product.

# NCE-AB

## Alkyl Benzene Replacement Fluid

---

### 9. PHYSICAL CHEMICAL PROPERTIES

---

Description	Clear liquid
Color	Yellow to brown tint
Odor	Characteristic odor
Boiling Point	N/A
Flash Point	>385°F (>196°C)
Vapor Pressure	<0.001 kPa @ 25°C
Specific Gravity	0.83 - 0.89
Volatiles, % Volume	0%
Solubility in Water	Negligible
Evaporation Rate	Nil
Viscosity @ 40°C	Varies depending on grade

### 10. STABILITY AND REACTIVITY

---

Stability	Stable under normal conditions
Hazardous Polymerization	Will not occur
Materials to Avoid	Strong oxidizing agents
Decomposition Products	Analogous compounds evolve, carbon monoxide, carbon dioxide, and other undefined fragments

### 11. TOXICOLOGICAL INFORMATION

---

Acute Toxicity	Acute LD50 > 5000 mg/Kg (rat, oral) PRACTICALLY NON TOXIC. Negative when tested by modified Ames test for carcinogenicity.
----------------	--

### 12. ECOLOGICAL INFORMATION

---

Ecotoxicity	No data is available on this product.
-------------	---------------------------------------

