

# National Compressor Exchange, Inc.

## Material Safety Data Sheet

according to 1907/2006 EC, Article 31

## NCE-POE-200

## **HFC Refrigeration Lubricant**

Revision Date: 05/2010

Revision #: 1

#### IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

**Product Name** NCE-POE-200 - HFC Refrigeration Lubricant

National Compressor Exchange, Inc. Company Name

75 Onderdonk Ave. Ridgewood, Queens, NY 11385

800-225-7381 / 718-417-9100 Telephone

Fax 718-821-7032

Emergency telephone 800-225-7381 / 718-417-9100

number

#### 2. HAZARDS IDENTIFICATION

Main Hazards No Significant Hazard

#### COMPOSITION / INFORMATION ON INGREDIENTS

Description This product does not contain any substances classified as hazardous to health

#### 4. COMPOSITION / INFORMATION ON INGREDIENTS

Skin contact Wash affected areas thoroughly with soap and water. Wash contaminated clothing before reuse.

See medical attention if irritation or symptoms persist

Eye contact Flush with clean, lukewarm water (low pressure) occasionally lifting eyelids. Seek physician as-

sessment if eyes are inflamed.

Inhalation Avoid breathing oil mists. Remove to fresh air. Give artificial respiration if not breathing. Oxygen

may be given by qualified personnel if breathing is difficult. Get medical attention.

Ingestion Do not induce vomiting. Fluid has laxative effect.

#### FIRE FIGHTING MEASURES

Extinguishing media For small fires: Carbon dioxide (CO2) Dry chemical. Foam. Water spray.

Fire hazards LOW FIRE HAZARD - Do not cut, drill, or weld empty containers

Protective equipment Wear suitable respiratory equipment when necessary.

#### ACCIDENTAL RELEASE MEASURES

Ensure adequate ventilation of the working area. Personal precautions

Environmental precautions Do not allow product to enter drains. Prevent further spillage if safe.

Clean up method Absorb with inert, absorbent material. Transfer to suitable, labelled containers for

disposal. Clean spillage area thoroughly with plenty of water.

#### 7. HANDLING AND STORAGE

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Handling

Adopt best Manual Handling considerations when handling, carrying and dispensing.

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in Storage

correctly labelled containers. Store at 40°C.

### Material Safety Data Sheet - NCE-POE-200 - Contd.

Revision Date: 05/2010

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures Ensure adequate ventilation of the working area.

Occupational exposure

controls

Keep away from food, drink and animal feed.

Respiratory protection Normally not necessary. If mist is generated, wear approved organic vapor respirator suitable for

oil mist areas with sufficient oxygen.

Skin/Hand Protection Normally none required, for direct contact of more than 2 hours, PVC, Viton, or Nitrile gloves are

recommended.

Eye protection Normally none required, chemical goggles if splashing is likely or high pressure systems are

used.

Ventilation General ventilation

Exposure limits Acute LD50> 5000 mg/Kg (rat, oral) Practically non-toxic

Protective equipment Protect clothing from contact with the product.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Description Liquid

Colour Yellow to Brown tint
Odour Characteristic order

Boiling point 650°F Flash point 440°F

Vapour pressure <0.001 kPa @ 25°C

Specific Gravity 0% Volatilies, % Volume 0%

Solubility in water Negligible

Evaporation rate Nil

Viscosity @40 °C Varies Depending on grade

#### 10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Hazardous polymerization Will not occur

Materials to avoid Strong oxidizing agents.

Decomposition products Analogous compounds evolve, carbon monoxide, carbon dioxide, and other undefined frag-

ments.

#### 11. TOXICOLOGICAL INFORMATION

Acute toxicity Acute LD50 > 5000 mg / Kg (rat : oral) PRACTICALLY NON TOXIC. Negative when tested by

modified Ames test for carcinogenicity.

#### 12. ECOLOGICAL INFORMATION

Ecotoxicity No data is available on this product.

#### 13. DISPOSAL CONSIDERATIONS

General information Dispose of in compliance with all local and national regulations.

### 14. TRANSPORTATION INFORMATION

Technical Name Blended Polyolester

D.O.T. hazard class Not regulated U.N. N.A. # Not regulated

Product label NCE-POE-200 - HFC Refrigeration Lubricant

### Material Safety Data Sheet - NCE-POE-200 - Contd.

Revision Date: 05/2010 Revision #: 1

#### 15. REGULATORY INFORMATION

Risk phrases NSH - No Significant Hazard.

OSHA status Non Hazardous under 29 CFR 1910.1200

TSCA status N/A

RCRA status If discarded in its purchased form this product would not be a hazardous waste either by listing

or characteristic. However it is the responsibility of the product user to determine at the time of disposal, whether the material being disposed of is a hazardous waste (40 CFR 261.20-24).

#### 16. OTHER INFORMATION

HMIS hazard ratings

Health

1 Flammability

1 Physical Hazard

0 Protective Equipment | B (Safety glasses an gloves)

(0= Insignificant, 1=Slight, 2=Moderate, 3= High, 4= Extreme)

Further information This information is furnished without warranty, expressed or implied, except that it is accurate

to the best knowledge of National Compressor Exchange, Inc. The data on this sheet related only to the specific material designed herein. National Compressor Exchange, Inc. 0assumes

no legal responsibility for the use or reliance upon these data.